SECTION 10A

RANGE REGULATIONS FOR WINANS RANGE- BAY A

THE RANGE	
Name	Winans – Bay A
Description	Type: Non Standard
	Danger area: No Danger Area (NDA)
	Distance: 5m – 25m
	Targets:
	10 turning targets (2 x banks of 5)
	FIREARMS AND AMMUNITION
Permitted firearms and ammunition including ME & MV	 Type: Rifles and Pistols (including in both cases airguns) Maximum Muzzle Velocity: 655 m/s (2150 ft/s) Maximum Muzzle Energy: 2030 J (1496 ft lb)
	 Type: Shotguns 12 -32 bore (including .410 bore) Hard targets: No4 or smaller shot Frangible targets: SG or smaller shot
	 Slug: subject to the constraints described below Not Permitted: 22 Hornet .17 HMR
Coordinating Instructions	
	 Shooting on this range has no effect on any other ranges. A Suitably Qualified Experienced Person (SQEP) is to be appointed as the responsible RO when shooting on Bay A.
	Rifles and Pistols3. Maximum of 8 lanes.a. Special requirements for NRA competitions.
	Shotguns
	4. Slug
	a. Maximum 4 lanes. 1 x firer within each section.
	 Shot size No4 – SG a. Maximum 3 lanes. 1 x firer on 3 LH sections.
	Firearm Combination 6. Shotguns may not be mixed with rifles or pistols
Firing Positions	 7. Rifle Positions Permitted: a. Sitting b. Kneeling c. Standing d. Benched e. Minimum engagement distance: 10m.

	8. Pistol Positions Permitted:
	a. Standing
	b. Benchedc. Minimum engagement distance: 10m.
	o. Minimum engagement distance. Tom.
	9. Shotguns Positions Permitted:
	a. Slug
	i. Sitting
	ii. Kneeling
	iii. Standing iv. Benched
	v. Engagement distance: 20m only
	b. Shot size No4 – SG same as Pistols
	c. Shot size No5 or smaller shot
	i. Sitting
	ii. Kneeling
	iii. Standing iv. Benched
	v. Minimum engagement distance: 7m.
	10. Changes of position are permitted within any detail or practice providing all firers follow the same sequence.
	11. Fire and movement (i.e. changing location during a detail with a loaded firearm) is permitted with shotguns, only if:
	a. The movement area is clearly delineated by objects or markers
	that do not constitute a trip hazard
	b. No movement up range is involved
	c. Only one firer is on the range at a time
	12. During practical shooting when shooting through an aperture, the
	muzzle of the firearm is to protrude completely through the
	aperture.
Targetry	13. MAX TCH: 1.5m
	14. Ricochet inducing material used to construct practical courses of fire is to be fully protected sufficiently to prevent ricochet.
	15. Hard Targets:
	 Permission to shoot at hard targets is to be requested in the Range Office
	b. Minimum engagement distance is 10m for LV and 22m for HV.
	16. Rifle and Pistols
	a. Penetrable Targets only
	17. Shotguns
	a. Slug:
	i. Hard targets not permitted
	b. Shot size No4 – SG
	i. Hard targets not permitted
	c. Shot size No4 or smaller
	i. Hard targets are permitted

	Hard targets to be placed within area defined by red marker on the bullet catcher defence wall.
	iii. Hard targets to be placed no more than 1m up range from the bullet catcher defence wall
	iv. Hard targets are to be placed so not to damage range infrastructure
	v. Spikes and posts are not to be driven in to the range floor
	18. Unless prior permission has been obtained from the CE only targets from the NRA approved set may be used.
	19. Targets are to be used in the frames or holders provided and are to be engaged only from the recognised firing points and /or appropriate shooting station or peg. Any deviation from this is to be notified, in writing, and approved by the Head of Range Services.
	20. Clay pigeons are not to be engaged within Winans Range
ACCIDENT/INCIDENT PROCEDURES	
Special Safety Instructions	As per the NRA Range Action Safety Plan which will be initiated by the Range Office on notification of a major incident/accident